

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	121	((Yonghe near2 Liu).inv. (Xiaolin near2 LU).inv.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/20 12:13
L2	1	L1 and (network with allocation with vector same VCS).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/20 12:13
L3	1	L1 and (network same allocation same vector). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/20 12:14
L4	1	L1 and (contention and network with allocation with vector).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/20 12:14
L5	1	L1 and (contention and network and allocation and vector).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/20 12:14
L6	1	virtual near2 clear near2 channel\$3 and L1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/20 12:14
L7	1	L1 and (VOCA and network \$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/20 12:15

L8	1	L1 and (header\$1 and (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") and (channel\$1 transmit\$5)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/20 12:15
L10	2	(contention and header\$1 and frame\$1 and (delay\$3 wait\$3)).clm. and L1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/20 12:17
S1	87	((Yonghe near2 Liu).inv. (Xiaolin near2 LU).inv.) and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 09:56
S2	18668	(TEXAS near INSTRUMENTS).as. and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 09:59
S3	3099	(370/459 370/461 370/469 370/474).cds. and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 10:15
S4	87	((Yonghe near2 Liu).inv. (Xiaolin near2 LU).inv.) and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 10:15
S5	18668	(TEXAS near INSTRUMENTS).as. and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 10:15
S6	0	S4 and S5 and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 10:15

S8	21	S5 and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 10:16
S9	50	S3 and header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel\$1 transmit \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 10:20
S10	4	S3 and header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel\$1 transmit \$5) same (size same frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 10:23
S11	2	S3 and header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel\$1 transmit \$5) same (size with frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 10:24
S12	3099	(370/459 370/461 370/469 370/474).cds. and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 11:28
S13	4	S12 and header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel\$1 transmit \$5) same (longer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 11:28
S14	27	header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel \$1 transmit\$5) same (longer) and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 11:33
S15	3	"7046651"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 12:20

S16	289	contention with header\$1 and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 12:23
S17	42	contention with header\$1 same (delay\$3 wait\$3) and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 12:23
S18	10	contention with header\$1 same frame same (delay \$3 wait\$3) and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 12:23
S19	192	contention same adjust\$3 same (delay\$3 wait\$3) and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 12:32
S20	4	contention same header same adjust\$3 same (delay \$3 wait\$3) and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 12:32
S21	2	"20030189948" "5774459". ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 12:36
S22	4	"20030189948" "5774459". pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 12:36
S23	369	network same allocation same vector and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 12:37

S24	261	network with allocation with vector and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 12:37
S25	154	contention and network with allocation with vector and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 12:38
S26	12	contention same PLOP and network with allocation with vector and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 12:38
S27	4	network with allocation with vector same VCS and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 14:40
S28	8	"823102".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 10:43
S35	65	VCCA and network\$3 and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 10:48
S36	3128	CCA and network\$3 and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 10:48
S37	137	clear near2 channel\$3 same CCA and network\$3 and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 10:48

S38	88	clear near2 channel\$3 same OCA and (longer\$3 extends\$3) same (period\$1 time duration\$1) and network\$3 and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 10:49
S39	10	virtual near2 clear near2 channel\$3 and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 10:55
S40	16	"802.11n" same mobile and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 12:42
S41	14	"802.11n" same station\$1 and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 12:58
S42	88	((Yonghe near2 Liu).inv. (Xiaolin near2 LU).inv.) and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S43	18730	(TEXAS near INSTRUMENTS).as. and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S44	3183	(370/459 370/461 370/469 370/474).cds. and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S45	88	((Yonghe near2 Liu).inv. (Xiaolin near2 LU).inv.) and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57

S46	18730	(TEXAS near INSTRUMENTS).as. and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S47	0	S45 and S46 and S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S49	21	S46 and S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S50	51	S44 and header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel\$1 transmit \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S51	4	S44 and header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel\$1 transmit \$5) same (size same frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S52	2	S44 and header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel\$1 transmit \$5) same (size with frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S53	3183	(370/459 370/461 370/469 370/474).ccls. and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S54	5	S53 and header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel\$1 transmit \$5) same (longer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57

S55	28	header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel \$1 transmit\$5) same (longer) and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S56	4	"7046651"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S57	290	contention with header\$1 and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S58	42	contention with header\$1 same (delay\$3 wait\$3) and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S59	10	contention with header\$1 same frame same (delay \$3 wait\$3) and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S60	195	contention same adjust\$3 same (delay\$3 wait\$3) and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S61	4	contention same header same adjust\$3 same (delay \$3 wait\$3) and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S62	2	"20030189948" "5774459". ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57

S63	4	"20030189948" "5774459".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S64	376	network same allocation same vector and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S65	267	network with allocation with vector and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S66	158	contention and network with allocation with vector and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S67	12	contention same PLOP and network with allocation with vector and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S68	4	network with allocation with vector same VCS and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S69	8	"823102".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S70	65	VCCA and network\$3 and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57

S71	3128	CCA and network\$3 and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S72	137	clear near2 channel\$3 same CCA and network\$3 and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S73	88	clear near2 channel\$3 same CCA and (longer\$3 extend\$3) same (period\$1 time duration\$1) and network\$3 and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S74	10	virtual near2 clear near2 channel\$3 and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S75	16	"802.11n" same mobile and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S76	14	"802.11n" same station\$1 and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/02 15:57
S82	1	(virtual near2 clear near2 channel near2 assessment \$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:43
S84	134	(transmi\$5 and station\$1 and virtual near2 channel \$1).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:43

S86	0	(transmi\$5 and station\$1 and virtual near2 channel \$1 and quotient\$1).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:44
S87	88	((Yonghe near2 Liu).inv. (Xiaolin near2 LU).inv.) and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S88	18744	(TEXAS near INSTRUMENTS).as. and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S89	3219	(370/459 370/461 370/469 370/474).cds. and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S90	88	((Yonghe near2 Liu).inv. (Xiaolin near2 LU).inv.) and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S91	18744	(TEXAS near INSTRUMENTS).as. and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S92	0	S90 and S91 and S89	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S93	3	S90 and S89	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45

S94	21	S91 and S89	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S95	53	S89 and header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel\$1 transmit \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S96	4	S89 and header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel\$1 transmit \$5) same (size same frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S97	2	S89 and header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel\$1 transmit \$5) same (size with frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S98	3219	(370/459 370/461 370/469 370/474).cds. and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S99	5	S98 and header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel\$1 transmit \$5) same (longer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S100	28	header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel \$1 transmit\$5) same (longer) and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S102	293	contention with header\$1 and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45

S103	42	contention with header\$1 same (delay\$3 wait\$3) and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S104	10	contention with header\$1 same frame same (delay \$3 wait\$3) and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S106	4	contention same header same adjust\$3 same (delay \$3 wait\$3) and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S109	379	network same allocation same vector and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S111	158	contention and network with allocation with vector and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S112	12	contention same PLOP and network with allocation with vector and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S113	4	network with allocation with vector same VCS and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S114	8	"823102".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45

S115	65	VOCA and network\$3 and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S116	3136	CCA and network\$3 and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S118	88	clear near2 channel\$3 same CCA and (longer\$3 extend\$3) same (period\$1 time duration\$1) and network\$3 and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S119	10	virtual near2 clear near2 channel\$3 and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S122	88	((Yonghe near2 Liu).inv. (Xiaolin near2 LU).inv.) and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S123	18744	(TEXAS near INSTRUMENTS).as. and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S124	3219	(370/459 370/461 370/469 370/474).cds. and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S125	88	((Yonghe near2 Liu).inv. (Xiaolin near2 LU).inv.) and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45

S126	18744	(TEXAS near INSTRUMENTS).as. and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S127	0	S125 and S126 and S124	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S128	3	S125 and S124	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S129	21	S126 and S124	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S130	53	S124 and header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel\$1 transmit \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S131	4	S124 and header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel\$1 transmit \$5) same (size same frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S132	2	S124 and header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel\$1 transmit \$5) same (size with frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S133	3219	(370/459 370/461 370/469 370/474).cds. and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45

S134	5	S133 and header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel\$1 transmit \$5) same (longer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S135	28	header\$1 near (packet\$1 frame\$1 data cell\$1) and (contention) and (busy "back-off") same (channel \$1 transmit\$5) same (longer) and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S137	293	contention with header\$1 and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S138	42	contention with header\$1 same (delay\$3 wait\$3) and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S139	10	contention with header\$1 same frame same (delay \$3 wait\$3) and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S141	4	contention same header same adjust\$3 same (delay \$3 wait\$3) and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S144	379	network same allocation same vector and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S146	158	contention and network with allocation with vector and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45

S147	12	contention same PLOP and network with allocation with vector and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S148	4	network with allocation with vector same VCS and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S149	8	"823102".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S150	65	VCCA and network\$3 and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S151	3136	CCA and network\$3 and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S153	88	clear near2 channel\$3 same CCA and (longer\$3 extends\$3) same (period\$1 time duration\$1) and network\$3 and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S154	10	virtual near2 clear near2 channel\$3 and @ad< "20040413"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:45
S157	53	(contention and network with allocation with vector).dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 11:52

S159	176	(network same allocation same vector).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 13:00
S160	1	(network with allocation with vector same VCS).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/16 13:00

11/ 20/ 2009 12:22:47 PM

C:\ Documents and Settings\lsweet\ My Documents\ EAST\ Workspaces\ 10832102nonfinal.wsp